OAK PARK UNIFIED SCHOOL DISTRICT 5801 E. CONIFER STREET OAK PARK, CALIFORNIA 91377 (818) 735-3206 ADDENDUM BOARD MEETING – AGENDA #917

DATE: Tuesday, October 20, 2015 TIME: **5:00 p.m. Closed Session**

6:00 p.m. Open Session

PLACE: Oak Park High School

Presentation Room-G9 899 Kanan Road Oak Park, CA 91377

BOARD REPORTS/DISCUSSION/COMMUNICATION

2a Retirement Recognition for MCMS Teacher Cindy Ligeti

CONSENT

B.1.g Approve Overnight Trip for Medea Creek Middle School 8th Grade – November 9-11, 2015

Board Policy 6153 requires Board approval for student overnight trips

ACTION

- **B.2.h.** Approve Consultant Agreement for Bond Underwriting Services

 Board Policy 3312 requires Board approval for contracts for services
- B.2.i. Approve Measure C6 Bond Fund Equipment Purchases Cafeteria Upgrades at Oak Park
 High School and Medea Creek Middle School
 Board approval required for Measure C6 purchases
- <u>B.2.j. Approve Measure C6 Bond Fund Equipment Purchases Districtwide Security Cameras Phase 2</u>

Board approval required for Measure C6 purchases

Date:	October 16, 2015	Anthony W. Knight, Ed.D.	
		Superintendent and Secretary to the	
		Board of Education	

FROM:	DR. A	NTHONY W. KNIGHT, SUPERINTENDENT				
DATE:	OCTOBER 20, 2015					
SUBJECT:	B.1.g.	APPROVE OVERNIGHT TRIP FOR MEDEA CREEK MIDDLE SCHOOL 8 th GRADE – NOVEMBER 9-11, 2015				
		CONSENT				
ISSUE:		Shall the Board of Education approve an overnight trip for Medea Creek Middle Shool 8 ^t grade to Astrocamp trip?				
BACKGROU	JND:	Medea Creek has been participating in Astrocamp, in Idyllwild, for several years. Attendance is open to all 8 th graders and is completely optional. Students attending will participate in classes that extend the 8 th grade science curriculum (classes include Electricity and Magnetism, Telescope Viewing, Building and Launching Rockets) as wel as team building activities that encourage physical challenges (Hiking, Ropes Course, Rock-Wall Climbing). Each year students say this is an outstanding educational experience.				
		Due to high demand, we have added a second trip to accommodate all 8 th graders who expressed interest in attending. This second trip is scheduled for November 9-11, with 8:00 a.m. departure and with 4:00 p.m. return. The cost is a voluntary donation of \$335.00 (Includes transportation, classes, food and lodging), with participating chaperones paying half of the student donation. MCMS sees that all interested students (space permitting) are able to attend, regardless of cost. Chaperones include MCMS staff members and parent volunteers. The bus company is to be determined. Accept this as certification that the Principal has reviewed and verified that all the required components of the approved Field Trip Planning Guide/Checklist have been met.				
ALTERNAT	IVES:	 Approve the overnight trip to Astrocamp in Idyllwild. Do not approve the overnight trip to Astrocamp in Idyllwild. 				
RECOMME	NDATIC	ON: Alternative #1.				
RATIONALI	E:	It is an outstanding opportunity to study physical science, hands-on, in a unique environment, while focusing on team-building and attempting new physical challenges.				
		Respectfully submitted:				
		Anthony W. Knight, Ed.D. Superintendent				
Board Action VOTE: Hazelton Helfstein Laifman Rosen Ross Student Rep.	A	*				

MEMBERS, BOARD OF EDUCATION

TO:

TO:	MEMB	ERS, BOAF	RD OF EDUCA	ATION				
FROM:	DR. AN	THONY W	. KNIGHT, SI	UPERIN	TENDENT			
DATE:	OCTOR	OCTOBER 20, 2015						
SUBJECT:	B.2.h.	APPROVE CONSULTANT AGREEMENT FOR BOND UNDERWRITING SERVICES ACTIO						
ISSUE:			Board approv			ent with William Blair &		
BACKGROUND:		At its meeting on September 15, 2015, the Board approved Resolution 15-17, authorizing the fourth and final issuance and sale of Measure Cobonds. Contained within the resolution was the Board's authorization to appoint a qualified firm to provide bond underwriting services for this issuance. Attached is an engagement letter for these services from William Blair & Company LLC, received in response to the Administrations request for proposal. Blair is well regarded for its services for small bond issuances such as the one authorized for Measure C-6, and has worked effectively and successfully with several school districts in and around Ventura County.						
ALTERNATIVES:		 Approve a consultant agreement with William Blair & Company LLC for bond underwriting services. Do not approve an agreement for bond underwriting services. 						
RECOMMEN	DATION:	Alternative No. 1						
Prepared by: M	Iartin Klauss,	Assistant S	uperintendent,	Business	and Administra	tive Services		
				Resp	pectfully submit	ted,		
					hony W. Knight erintendent	, Ed.D.		
Board Action:	On motion of	f	, secoi	nded by _		, the Board of Education:		
VOTE: Hazelton Helfstein Laifman Rosen Ross Student Rep	AYES		NOES		ABSTAIN	ABSENT		



October 13, 2015

Martin Klauss, Assistant Superintendent, Business and Administrative Services Oak Park Unified School District 5801 East Conifer Street Oak Park, CA 91377

Re: Oak Park Unified School District

Agreement to Provide Underwriting Services

Election of 2006 General Obligation Bonds, Series 2015A

Dear Mr. Klauss:

This letter (the "Agreement") constitutes an agreement by the Oak Park Unified School District (the "District") to retain William Blair & Company, L.L.C. ("Blair" or the "Underwriter") to provide investment banking services as exclusive Underwriter relating to the preparation for and public offering of the <u>Election of 2006 General Obligation Bonds</u>, <u>Series 2015A</u> (the "Bonds"), as agreed by the Underwriter and the District.

- I. The Underwriter agrees to provide underwriting services for no additional fees other than the underwriting discount on any Bonds sold including, but not limited to transactional structuring options and other analysis as needed.
- II. The Underwriter agrees to structure and to sell one or more issues of Bonds as needed or required on a mutually agreed timetable.
- III. Other terms and conditions relating to the Bonds are as follows:
 - A. The Bonds will be a general obligation of the District, payable solely from the proceeds of *ad valorem* property taxes.
 - B. Redemption terms of the Bonds by the District will be negotiated.
 - C. The Underwriter agrees to work with the District to structure the underlying documentation, which documentation will include provisions for redemption and security.
 - D. The Underwriter agrees that it will diligently attempt to bring the Bonds to market at such time as the District shall specify.
 - E. The District and the Underwriter agree that the Underwriter's Discount for assistance related to financial analysis related to the Bonds, successful marketing of the Bonds and closing of the Bond issue(s) shall not exceed the amount specified in the Authorizing Resolution of the Board of Trustees of the District, authorizing the issuance of the **Election of 2006 General Obligation Bonds, Series 2015A**. There will be no fees incurred unless Bonds are issued.

- F. The District agrees to pay for expenses including reasonable bond counsel and disclosure counsel fees, printing, paying agent and registrar fees, cost of rating agency fees, and other related expenses.
- G. The Bonds will bear interest at rates determined by market conditions existing at the date of offering of the issue, subject to the approval of such interest rates and conditions by the District. The Underwriter and the District reserve the right to sell the Bonds with different maturities and upon different conditions than is presently contemplated, if it is in the mutual agreement of both parties to do so.
- IV. The Underwriter's obligation to sell the Bonds shall be subject to the satisfaction of the following conditions:
 - A. A definitive Purchase Contract to be agreed upon by the Underwriter and the District.
 - B. The unqualified opinion of a nationally recognized bond counsel that the interest on the Bonds is exempt from Federal income taxation.
 - C. The unqualified opinion of counsel that the Bonds are duly issued under appropriate Federal and State securities laws and is otherwise in conformance with other laws and codes, as applicable.
 - D. Approval of the form and substance of the documents in connection with the issuance of the Bonds by the Underwriter.
 - E. In the judgment of the Underwriter, after due inquiry, there shall not have occurred any material adverse change in the affairs or financial condition of the District or its affiliates since the date of the most recent audited financial statements provided to Underwriter except as previously disclosed to the Underwriter or contained in audited or unaudited financial statements of the District.
- V. Compliance with MSRB Rule G-17 and the SEC Municipal Advisor Rule.

Per MSRB Rule G-17 and the SEC Municipal Advisor Rule, William Blair, in its capacity as an underwriter of municipal securities, is not recommending an action to the District as the municipal entity or obligated person. The information provided is not intended to be and should not be construed as "advice" within the meaning of Section 15B of the Securities Exchange Act of 1934. This information is being provided for discussion purposes, and the District should discuss any information and material contained in this communication with any and all internal or external advisors and experts that the District deems appropriate before acting on this information or material. Unless otherwise agreed, the Firm is not acting as a municipal advisor to the District and does not owe a fiduciary duty pursuant to Section 15B of the Exchange Act to the District with respect to the information and material contained in this communication. In our capacity as underwriter, William Blair's primary role is to purchase the securities as a principal in a commercial, arms' length transaction, and the firm will have financial and other interests that differ from the District's.

VI. Authority.

Each of the parties to this Agreement represents that it has duly authorized the execution, delivery and performance of this Agreement and that neither such execution and delivery nor the performance of its obligations hereunder conflict with or violate any provision of law, rule or regulation, or any instrument to which it is a party or to which any of its property is subject and that this Agreement is a valid and binding obligation.

VII. Liability and Indemnification.

- A. The District agrees that neither Blair nor any member, principal or employee of Blair shall be liable for any error in judgment or for any act or omission to act by Blair or any such person, except for any error in judgment, act or omission resulting from Blair's or such person's negligence, gross negligence, willful misconduct or malfeasance, in which case Blair shall indemnify and hold harmless District and each Board member and employee of District (collectively, the "District Indemnified Party") against any losses, claims, damages or liabilities, joint or several, to which any District Indemnified Party may become subject. Blair shall have no liability to the District if the issuance of the Securities does not occur for any reason, and has no obligation to purchase the Securities under any circumstances.
- B. To the extent permitted by applicable law, the District shall indemnify and hold harmless Blair and each member, principal and employee of Blair (collectively, the "Indemnified Party") against any losses, claims, damages or liabilities, joint or several, to which any Indemnified Party may become subject, insofar as such losses, claims, damages or liabilities (or actions in respect thereof) arise out of or are based upon an untrue statement of a material fact contained in any Disclosure Document, or any amendment or supplement thereto, or arise out of or are based upon the omission or alleged omission to state therein a material fact required to be stated therein or necessary to make the statements therein not misleading, and will reimburse each Indemnified Party for any legal or other expenses reasonably incurred by such Indemnified Party in connection with investigating or defending any such action or claim. The District is responsible for the truth, accuracy and completeness of all information relating to the District.
- C. The reimbursement, indemnity and contribution obligations of the parties hereunder shall be in addition to any liability which the parties may otherwise have.

VIII. Termination and Assignment.

- A. This Agreement may be terminated by either party at any time upon 30 days' prior written notice to the other party. Such termination shall be without the payment of any penalty and without liability of either party to the other, except (i) for any compensation and expense reimbursements due in accordance with Section III (F.) and (ii) that Blair and the District shall continue to be entitled to the benefits of Section VII following any such termination.
- B. No assignment of this Agreement by Blair shall be effective without the written consent of the District.

- IX. *Notices*. Any notice or other written communication provided for herein shall be mailed to District at its address set forth above or to William Blair & Company, LLC at 10100 Santa Monica Blvd., Suite 300, Los Angeles, California, 90067, unless either party notifies the other in writing of a different address.
- X. General. The validity and interpretation of this Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of California applicable to Agreements made and to be fully performed therein. This Agreement may not be modified or amended except in writing executed by the parties hereto. This Agreement may be signed in counterparts, each of which shall be deemed an original and all of which shall constitute one and the same instrument.
- XI. This Agreement is agreed to, accepted and effective as of the date set forth above.

OAK PARK UNIFIED SCHOOL DISTRICT	
By:	
Title:	
WILLIAM BLAIR & COMPANY, L.L.C.	

Kenneth Gillespie

Title:

Director

Ajay Thomas

Managing Director

FROM: DR. ANTHONY W. KNIGHT, SUPERINTENDENT						
DATE:	OCTOBI	ER 20, 2015				
SUBJECT:	B.2.i. APPROVE MEASURE C6 BOND FUND EQUIPMENT PURC CAFETERIA UPGRADES AT OAK PARK HIGH SCHO MEDEA CREEK MIDDLE SCHOOL					
ISSUE:		Shall the Board approve Mea Cafeteria Upgrades at Oak I School?				
BACKGROUND:		As approved by Oak Park voters, Bond Measure C6 specifically provides for the purchase or replacement of "Food Preparation and Kitchen Equipment – to furnish and equipkitchen facilities at each school site for student meal preparation"				
		Consistent with the District's C Services department is upgrading School and Medea Creek Mid wholesome meals, rather than postervices and District staff are re- food services equipment itemize totaling \$143, 172.00, utilizing the Board's approval it is anticipal	g the aging cafeterial ddle School to reture-packaged, heat-and questing the Board's zed on the attached funds from the Meastated that the new equal ddle school to return the sequence of the	equipment at Oak Park High irn to preparation of healthy, ind-serve fare. Child Nutrition is authorization to purchase the id quotes from Action Sales, sure C6 bond fund. Assuming		
ALTERNATIVES:		 Approve the Measure C6 bond fund equipment purchases from Action Sales for cafeteria upgrades at Oak Park High School and Medea Creek Middle School, in the amount of \$143,172.00. Do not approve the equipment purchase. 				
RECOMMEN	NDATION:	Alternative No. 1				
Prepared by: M	Iartin Klaus	s, Assistant Superintendent, Busines	ss and Administrative	e Services		
			Respectfully subm	itted,		
			Anthony W. Knigh Superintendent	nt, Ed.D.		
Board Action:	On motion o	of, seconded by	, th	e Board of Education:		
VOTE: Hazelton Helfstein Laifman Rosen Ross Student Rep	AYES	NOES	ABSTAIN	ABSENT		

MEMBERS, BOARD OF EDUCATION

TO:

Quote Date

9/24/2015



Project:

MADEA CREEK, Oak Park, CA

Consultant:

Rep:

Regional Mgr: QUOTATION

Sales person - Jimmy Chan Email - Jimmy@ActionSales.com (626)810-2277 xt. 253

Item #	Qty	Product:	ESSENCE	Price Each	Total Price
		Park High Sc identical cou	ood if PO is received for (2) schools (Oak hool and Medea Creek Middle School wit unters), with manufacturing, shipping and g for the counters completed in 2015	:h	
. 1	1		pad Solid Top Counter, 66"L x 34"W x 34"H, with as steel tubular base, stainless steel interior, 6" as steel legs	\$3,150	\$3,150.00
	1 2 1 1 2	14 Gauge Stainles Electrical receptad J-box with cord an Laminated Front F Bolting to adjacen	ss Steel Top cle with wiring to j-box nd plug Panel		
ADD AL	TERNATE 1	Modify item 1 with if required ADD \$	r FS-V Vertical Food Shield with (2) glass end pand	els,	\$1,400.00
ADD AL	TERNATE 3	•	n extended top and angled front panel in lieu of ed ADD \$1530 TOTAL		\$1,530.00
3	1	stainless steel tub	Utility Counter, 36"L x 34"W x 34"H, with welded 1" oular base, removable 18 gauge stainless steel adjustable stainless steel legs	\$3,125	\$3,125.00
	1		angled corner unit		
	1	14 Gauge Stainles			
	1	Laminated Front F			
	1	Laminated End Pa	anel		
	1	Bolting to adjacen	nt counter item #1		
	1	Tight Link			
	1	Toe kick plate, bla	ack powder coated		
4	1	1" stainless steel	Hot Food Counter, 78"L x 34"W x 34"H, with welde tubular base, removable 18 gauge stainless steel adjustable stainless steel legs	sd \$7,475	\$7,475.00
	1	14 Gauge Stainles	ss Steel Top		
	1	Straight top: NO F			
	1		od Wells: 5 well, Energy Efficient drop in unit, drain	Fellow to the second	
	4	Ma alife . la at all a 4	a lance no ducino		

Modify hot wells to have no drains

	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	J-box with cord and plug		
	1	Laminated Front Panel		
	2	Laminated End Panel		
	1	Open storage on operator side		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
		red by and rearing said		
5	1	ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$3,135	\$3,135.00
	1	14 Gauge Stainless Steel Top		
	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	Laminated Front Panel		
	1	Open storage on operator side		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
6	1	CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$9,800	\$9,800.00
	1	14 Gauge Stainless Steel Top		
	1	DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF		
		7, self contained, 1/3 HP, NEMA 5-15		
	1	Condensate evaporator		
	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	Receptacle with cord and plug		
	1	Laminated Front Panel		
	1	Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
7	1	CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs	\$3,225	\$3,225.00
	1	Laminated Front Panel		
	1	Laminated End Panel		
	- 1	Open storage on operator side		
	1	Toe kick plate, black powder coated		
8	1	ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$3,125	\$3,125.00
	1	Modify counter to angled corner unit		
	1	14 Gauge Stainless Steel Top		
	1	Laminated Front Panel		
	1	Laminated End Panel		

	1	Tight Link		
	1	Toe kick plate, black powder coated		
9	1	HLS78 Essence Hot Food Counter, 78"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$7,475	\$7,475.00
	1	14 Gauge Stainless Steel Top		
	1	Straight top: NO Recess		
	1	DI-EF-5D Hot Food Wells: 5 well, Energy Efficient drop in unit, drain with shut off valve, verify voltage		
	1	Modify hot wells to have no drains		
	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	J-box with cord and plug		
	1	Laminated Front Panel		
	2	Laminated End Panel		
	1 ,992	Open storage on operator side		
	1 3	Tight Link		
	1	Toe kick plate, black powder coated		
10	1	ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$3,135	\$3,135.00
	1	14 Gauge Stainless Steel Top		
	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	Laminated Front Panel		
	1	Open storage on operator side		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
11	1	CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$9,800	\$9,800.00
	1	14 Gauge Stainless Steel Top		
	1	DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15		
	1	Condensate evaporator		
	1	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	Receptacle with cord and plug		
	1	Laminated Front Panel		
	1	Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
12	1	CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs	\$3,225	\$3,225.00

Bolting to adjacent counter item #1

receptacle, on 6" legs

The state of the s		
1	Toe kick plate, black powder coated	
ADD ALTERNATE 2	Modify items 4, 5, 6, 9, 10 & 11 with stainless steel hinged doors on operator side, if required ADD \$2330 TOTAL	\$2,330.00
ADD ALTERNATE 5	Modify items 4 & 9 with recess for sheet pans in lieu of straight, if required ADD \$1150 TOTAL	\$1,150.00
UPGRADE	Additional 3-year warranty on top of the standard 2-years. Total 5-year warranty.	\$3,000.00
	see that a vertical succession is a second of the second o	
	TOTAL EQUIPMENT PRICE	\$66,080.00
	LABOR-TO UNCRATE AND SET IN PLACE	\$550.00
	iena i brief tra silvertu	
	TAX 7.50%	\$4,956.00
	TOTAL	\$71,586.00

**Pricing is based on items and quantities as noted on quote. Changing of quantities will/may require requoting the project. Please consult Action Sales for revised quote based upon new items/quantites required.

**Prices quoted will be held for 90 days unless otherwise noted.

**Prices quoted are F.O.B. factory.

Laminated Front Panel Laminated End Panel

1

Open storage on operator side

** Lead times vary from 6 to 10 weeks after receipt of all approvals, field dimensions, and material selections.




ARE YOU A COOL SCHOOL PARTICIPANT? IF SO, YOU COULD EARN 78,500 POINTS FOR THE PURCHASE OF THIS SERVING EQUIPMENT. IF YOU ARE NOT A PARTICIPANT, IT IS FREE TO JOIN. JUST VISIT WWW.COOLSCHOOL.COM TO SIGN UP OR CALL COOL SCHOOL AT 763-262-3150.

Material Notes:

** Laminate pricing based on standard single color laminate selections. Consult factory for pricing on any special color laminates.

General Notes:

- ** Hinged doors, during shipment, may require adjustment at site. Door adjustment by others.
- ** Final mechanical connections are BY OTHERS.





OAK PARK, CA

Quote Date

9/24/2015



Project:

OAK PARK HS, Oak Park, CA

Qty

Product:

Consultant:

Rep:

Regional Mgr:

Item #

QUOTATION

Sales person - Jimmy Chan Email - Jimmy@ActionSales.com

(626)810-2277 xt. 253

ESSENCE

Price Each

Total Price

Prices are good if PO is received for (2) schools (Oak
Park High School and Medea Creek Middle School with
identical counters), with manufacturing, shipping and
invoicing for the counters completed in 2015

		Prices are good if PO is received for (2) schools (Oak Park High School and Medea Creek Middle School with identical counters), with manufacturing, shipping and invoicing for the counters completed in 2015		
1	1	LNL-66-Lock-N-Load Solid Top Counter, 66"L x 34"W x 34"H, with welded 1" stainless steel tubular base, stainless steel interior, 6" adjustable stainless steel legs	\$3,150	\$3,150.00
	1	14 Gauge Stainless Steel Top		
	2	Electrical receptacle with wiring to j-box		
	1	J-box with cord and plug		
	1	Laminated Front Panel		
	2	Bolting to adjacent counter		
	1	Toe kick plate, black powder coated		
ADD	ALTERNATE 1	Modify item 1 with FS-V Vertical Food Shield with (2) glass end panels, if required ADD \$1400 TOTAL		\$1,400.00
ADD	ALTERNATE 3	Modify item 1 with extended top and angled front panel in lieu of standard, if required ADD \$1530 TOTAL		\$1,530.00
3				TO NOT THE SECOND
3	1	ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$3,125	\$3,125.00
	1	Modify counter to angled corner unit		
	1	14 Gauge Stainless Steel Top		
	1	Laminated Front Panel		
	1	Laminated End Panel		
	1	Bolting to adjacent counter item #1		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
4	1	HLS78 Essence Hot Food Counter, 78"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs	\$7,475	\$7,475.00
	4			
	1	14 Gauge Stainless Steel Top		
	1	Straight top: NO Recess DI-EF-5D Hot Food Wells: 5 well, Energy Efficient drop in unit, drain		
		with shut off valve, verify voltage		
	1	Modify hot wells to have no drains		

1 J-box with cord and plug 1 Laminated End Panel 2 Laminated End Panel 3 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 5 1 Link 1 Toe kick plate, black powder coated 5 1 ULS30 Essence Utility Counter, 30°L x 34°W x 34°H, with welded 1° stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6° adjustable stainless steel legs 1 1 4 Gauge Stainless Steel Top 1 1 FS-Food shield with convertible 2-position front glass and glass shelf. 2 Food shield glass and panel 2 Food shield glass and panel 3 Laminated Front Panel 4 Open storage on operator side 5 1 CLS80 Essence Cold Food Counter 60°L x 34°W x 34°W, with welded 1° tight Link 6 1 Toe kick plate, black powder coated 6 1 CLS80 Essence Cold Food Counter 60°L x 34°W x 34°W, with welded 1° tight Link 7 Toe kick plate, black powder coated 6 1 CLS80 Essence Cold Food Counter 60°L x 34°W x 34°W, with welded 1° tight Link 8 1 Toe kick plate, black powder coated 6 1 CLS80 Essence Cold Food Counter 60°L x 34°W x 34°W, with welded 1° tight Link 9 Toe kick plate, black powder coated 6 1 CLS80 Essence Cold Food Counter 60°L x 34°W x 34°W, with welded 1° tight Link 1 Toe kick plate, black powder coated 1° tight Link 1 Condensate sexporator 1° For-Food shield with convertible 2-position front glass and glass shelf. 1 Verify black prowder coate or stainless steel links 1 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel		1 2	FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish Food shield glass end panel		
1 Laminated End Panel 2 Laminated End Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 5 1 ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainloss steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 1 4 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. 2 Food shield glass end panel 2 Laminated Front Panel 3 Open storage on operator side 4 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 1 Gauge Stainless Steel Top 1 DF-2050TA-Cold Wells 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 13 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 3 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insent tray, grommet hole and receptacle, on 6" legs 1 Laminated End Panel 1 Caminated End Panel 1 Laminated End Panel 1 Caminated End Panel 2 Modify counter to angled corner unit 3 Laminated Front Panel 4 Laminated End Panel 5 Class Essence Utility Counter, 36"L x 34"W x 24"H, with welded 1" stainless steel utubular base, removable 18 gauge stainless steel 1 Laminated Front Panel 2 Laminated Front Panel 3 Laminated Front Panel 4 Laminated Front Panel 5 Laminated Front Panel 6 Laminated Front Panel					
2 Laminated End Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 5 ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel linish 2 Food shield glass end panel 1 Open storage on operator side 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 173 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel highed louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Copen storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel utility Counter to angled corner unit 14 Gauge Stainless Steel Top 1 Laminated Front Panel		1	그 그 그는 그는 그는 그는 그를 가는 것이 없는 것이다.		
1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 5 ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel grant of "adjustable stainless steel finish" 2 Food shield glass end panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS80 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel grant of "adjustable stainless steel legs 1 I d Gauge Stainless Steel Top 1 DI-2050TA-Cold Welts: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 17a HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Vertry black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated End Panel 1 Laminated End Panel 1 Claminated End Panel 1 Claminated End Panel 1 Claminated End Panel 2 Food stainless steel tubular base, removable 18 gauge stainless steel 3 Modify counter to angled corner unit 1 4 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel					
1 Tight Link 1 Toe kick plate, black powder coated 1 Toe kick plate, black powder coated 1 ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tundershelf and 6" adjustable stainless steel legs 1 1 4 Gauge Stainless Steel Top 1 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel linish 2 Food shield glass end panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 1 4 Gauge Stainless Steel Top 1 Di-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 136 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insent tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Chain and 6" adjustable stainless steel lines 1 Laminated Front Panel					
1 Toe kick plate, black powder coated 5 1 ULS30 Essence Utility Counter, 30"L x 34"W x 94"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel gas 1 14 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 Di-2005TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 181 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hipself louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Cannel and Graditable stainless steel legs 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel 1 Toe kick plate, black powder coated					
1 ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 1 4Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Laminated Front Panel 2 Food shield glass end panel 1 Topk Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 D1-2650TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 173 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 3 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 4 FS-Food shield glass end panel 5 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes 1" Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel hinged corner unit 1 Laminated End Panel 1 Copen storage on operator side 1 Toe kick plate, black powder coated					
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass and panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 13 FH, NEMA 5-15 1 Condensate evaporator 7, self contained, 13 FH, NEMA 5-15 1 Condensate evaporator 15 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with ord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 1 Toe kick plate, black powder coated 1 Laminated Front Panel 1 Copen storage on operator side 1 Toe kick plate, black powder coated 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 Hodify counter to angled corner unit 1 Laminated Front Panel 1 Laminated Front			Toe Nick plate, black powder coated		
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass and panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 13 FH, NEMA 5-15 1 Condensate evaporator 7, self contained, 13 FH, NEMA 5-15 1 Condensate evaporator 15 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with ord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 1 Toe kick plate, black powder coated 1 Laminated Front Panel 1 Copen storage on operator side 1 Toe kick plate, black powder coated 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 Hodify counter to angled corner unit 1 Laminated Front Panel 1 Laminated Front					
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass and panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 13 HP, NEMA 5-15 1 Condensate evaporator FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with ord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel 1 Caminated Front					
1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Caminated Front Panel Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 24"H, with welded 1" stainless steel tundershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 Di-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 3 Receptacle with cord and plug 4 Laminated Front Panel 5 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Carriage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel funder-shelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top 1 Laminated Front Panel	5	1	stainless steel tubular base, removable 18 gauge stainless steel	\$3,135	\$3,135.00
1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Caminated Front Panel Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 24"H, with welded 1" stainless steel tundershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 Di-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 3 Receptacle with cord and plug 4 Laminated Front Panel 5 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Carriage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel funder-shelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 A Gauge Stainless Steel Top 1 Laminated Front Panel		1	14 Gauge Stainless Steel Top		
2 Food shield glass end panel 1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 173 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 1 Receptacle with cord and plug 1 Laminated Front Panel 2 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel			FS-Food shield with convertible 2-position front glass and glass shelf.		
1 Laminated Front Panel 1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 128 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs. 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel fundershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		2	그는 그는 이 이번에 어디를 보고 있었다. 나는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은		
1 Open storage on operator side 1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells; 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel					
1 Tight Link 1 Toe kick plate, black powder coated 6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 Dl-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 13 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel 1 undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		1			
Toe kick plate, black powder coated 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 D1-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel 1 Laminated Front Panel 1 Dopen storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel 1 undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		1			
6 1 CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 14 Gauge Stainless Steel Top 1 DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 1 Condensate evaporator 1 FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish 2 Food shield ylass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated Front Panel 1 Dopen storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel					
1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1			Toe kick plate, black powder coated		
1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1					
DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF 7, self contained, 1/3 HP, NEMA 5-15 Condensate evaporator FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish Pood shield glass end panel Receptacle with cord and plug Laminated Front Panel Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length Tight Link Toe kick plate, black powder coated CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs Laminated Front Panel Laminated Front Panel Copen storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit Had Gauge Stainless Steel Top Laminated Front Panel Laminated Front Panel	6	1	1" stainless steel tubular base, removable 18 gauge stainless steel	\$9,800	\$9,800.00
7, self contained, 1/3 HP, NEMA 5-15 Condensate evaporator FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish Pood shield glass end panel Receptacle with cord and plug Laminated Front Panel Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length Tight Link Toe kick plate, black powder coated 7 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs Laminated Front Panel Laminated End Panel Open storage on operator side Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel		1	14 Gauge Stainless Steel Top		
FS-Food shield with convertible 2-position front glass and glass shelf. Verify black powder coat or stainless steel finish Proof shield glass end panel Receptacle with cord and plug Laminated Front Panel Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length Tight Link Toe kick plate, black powder coated CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs Laminated Front Panel Laminated Front Panel Chen storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit Modify counter to angled corner unit Laminated Front Panel Laminated Front Panel Laminated Front Panel		1	7, self contained, 1/3 HP, NEMA 5-15		
Verify black powder coat or stainless steel finish 2 Food shield glass end panel 1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel					
1 Receptacle with cord and plug 1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel			Verify black powder coat or stainless steel finish		
1 Laminated Front Panel 1 Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length 1 Tight Link 1 Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		2			
Stainless steel hinged louvered doors on operator side at compressor with open storage at remaining length Tight Link Toe kick plate, black powder coated CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs Laminated Front Panel Laminated End Panel Open storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit Modify counter to angled corner unit Had Gauge Stainless Steel Top Laminated Front Panel		1	그는 그		
with open storage at remaining length Tight Link Toe kick plate, black powder coated CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs Laminated Front Panel Laminated End Panel Open storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit Modify counter to angled corner unit Laminated Front Panel Laminated Front Panel		1			
Toe kick plate, black powder coated 7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		1	with open storage at remaining length		
7 1 CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel			BLE CONTROL (1982) - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1		
top, tray rail, cash drawer with insert tray, grommet hole and receptacle, on 6" legs 1 Laminated Front Panel 1 Laminated End Panel 1 Open storage on operator side 1 Toe kick plate, black powder coated 8 1 ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs 1 Modify counter to angled corner unit 1 14 Gauge Stainless Steel Top 1 Laminated Front Panel		1	Toe kick plate, black powder coated		
Laminated End Panel Open storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit Had Gauge Stainless Steel Top Laminated Front Panel	7	1	top, tray rail, cash drawer with insert tray, grommet hole and	\$3,225	\$3,225.00
Open storage on operator side Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit A Gauge Stainless Steel Top Laminated Front Panel		1	Laminated Front Panel		
Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel		1	Laminated End Panel		
Toe kick plate, black powder coated ULS36 Essence Utility Counter, 36"L x 34"W x 34"H, with welded 1" \$3,125 \$3,125.00 stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel		1	Open storage on operator side		
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel		1			
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel					
stainless steel tubular base, removable 18 gauge stainless steel undershelf and 6" adjustable stainless steel legs Modify counter to angled corner unit 1 4 Gauge Stainless Steel Top Laminated Front Panel					
1 14 Gauge Stainless Steel Top 1 Laminated Front Panel	8	1	stainless steel tubular base, removable 18 gauge stainless steel	\$3,125	\$3,125.00
1 Laminated Front Panel		1	Modify counter to angled corner unit		
		1	14 Gauge Stainless Steel Top		
1 Laminated End Panel		1	Laminated Front Panel		
		1	Laminated End Panel		

	1	boiling to adjacent counter item #1		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
9	1	HLS78 Essence Hot Food Counter, 78"L x 34"W x 34"H, with welded	\$7,475	\$7,475.00
3		1" stainless steel tubular base, removable 18 gauge stainless steel	Ψί,τιο	φ1,410.00
		undershelf and 6" adjustable stainless steel legs		
		1 11000		
	1	14 Gauge Stainless Steel Top		
	1	Straight top: NO Recess		
	1	DI-EF-5D Hot Food Wells: 5 well, Energy Efficient drop in unit, drain		
		with shut off valve, verify voltage		
	1	Modify hot wells to have no drains		
		· · · · · · · · · · · · · · · · · · ·		
	1	FS-Food shield with convertible 2-position front glass and glass shelf.		
		Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	J-box with cord and plug		
	1	Laminated Front Panel		
	2	Laminated End Panel		
		Open storage on operator side		
	1			
	1	Tight Link		
	1	Toe kick plate, black powder coated		
10	1	ULS30 Essence Utility Counter, 30"L x 34"W x 34"H, with welded 1"	\$3,135	\$3,135.00
10	ı	stainless steel tubular base, removable 18 gauge stainless steel	φ3,133	φ5,155.00
		undershelf and 6" adjustable stainless steel legs		
	1	14 Gauge Stainless Steel Top		
	1	FS-Food shield with convertible 2-position front glass and glass shelf.		
		Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel		
	1	Laminated Front Panel		
	1,	Open storage on operator side		
	1	Tight Link		
	1	Toe kick plate, black powder coated		
		01 000 5	40.000	AO 000 00
11	1	CLS60 Essence Cold Food Counter 60"L x 34"W x 34"H, with welded	\$9,800	\$9,800.00
		1" stainless steel tubular base, removable 18 gauge stainless steel		
		undershelf and 6" adjustable stainless steel legs		
	1	14 Gauge Stainless Steel Top		
	1	DI-2050TA-Cold Wells: 4 full size pan drop in Temp-est Aire unit, NSF		
		7, self contained, 1/3 HP, NEMA 5-15		
	1	Condensate evaporator		
		· · · · · · · · · · · · · · · · · · ·		
	1	FS-Food shield with convertible 2-position front glass and glass shelf.		
		Verify black powder coat or stainless steel finish		
	2	Food shield glass end panel	4	
	1	Receptacle with cord and plug		
	1	Laminated Front Panel		
	1	Stainless steel hinged louvered doors on operator side at compressor		
	•	with open storage at remaining length		
	4			
	1	Tight Link		
	1	Toe kick plate, black powder coated		
12	1	CS30 Essence In-line Cashier Station, 30"L x 34"W x 34"H, includes	\$3,225	\$3,225.00
12	,	top, tray rail, cash drawer with insert tray, grommet hole and	40,220	Ψ3,220.00
		receptacle, on 6" legs		
		Toopiadie, on o lege		

Bolting to adjacent counter item #1

ADD ALTERNATE 2	Modify items 4, 5, 6, 9, 10 & 11 with stainless steel hinged doors on operator side, if required ADD \$2330 TOTAL	\$2,330.00
ADD ALTERNATE 5	Modify items 4 & 9 with recess for sheet pans in lieu of straight, if required ADD \$1150 TOTAL	\$1,150.00
UPGRADE	Additional 3-year warranty on top of the standard 2-years. Total 5-year warranty.	\$3,000.00
	TOTAL EQUIPMENT PRICE	\$66,080.00
	LABOR-TO UNCRATE AND SET IN PLACE	\$550.00
	TAX 7.50	% \$4,956.00

TOTAL

\$71,586.00

**Pricing is based on items and quantities as noted on quote.

Changing of quantities will/may require requoting the project.

Please consult Action Sales for revised quote based upon new items/quantites required.

**Prices quoted will be held for 90 days unless otherwise noted.

**Prices quoted are F.O.B. factory.

Laminated Front Panel Laminated End Panel

Open storage on operator side

Toe kick plate, black powder coated

1

1

** Lead times vary from 6 to 10 weeks after receipt of all approvals, field dimensions, and material selections.




ARE YOU A COOL SCHOOL PARTICIPANT? IF SO, YOU COULD EARN 78,500 POINTS FOR THE PURCHASE OF THIS SERVING EQUIPMENT. IF YOU ARE NOT A PARTICIPANT, IT IS FREE TO JOIN. JUST VISIT WWW.COOLSCHOOL.COM TO SIGN UP OR CALL COOL SCHOOL AT 763-262-3150.

Material Notes:

** Laminate pricing based on standard single color laminate selections. Consult factory for pricing on any special color laminates.

General Notes:

- ** Hinged doors, during shipment, may require adjustment at site. Door adjustment by others.
- ** Final mechanical connections are BY OTHERS.



S 工 CA OAK PARK X OAK PARK, (

REVISED

ERIA

MUL MULTITERIA RESERVES PROPRETARY RIGHTS TO THIS DRAWNG AND THE DATA SHOWN THEREON. SAID DRAWNG ANDOR BATA ARE CLASSIFED AND PROPRIED THE WAY ARE DOT TO BE USED ON REPRODUCED FOR ANY CHANGES FOR ANY CHANGES AND THE COMMENT OF THE STREET OF THE

MULTITERIA 1444 N FARNSWORTH AVE AURORA, IL 60505


SHEET NO.


2 of 3


PROJECT NO.


2380.09.02.15E DATE: 10/14/15 SCALE: 1/2"=1'-0"

DRAWN BY: FOX AUTOCAD D SIZE













MATERIAL/COLOR SELECTIONS TO BE VERIFIED:

1. COUNTRIPP: 14 GA. STANLESS STEEL.
2. FOOD SHELD: BLOCK POWDER COAT FINISH OR STANLESS STEEL FINISH
3. TRAY SLIGE N/A
4. PL-1 LAWINAE: PLAST FOWDER COAT FINISH OR STANLESS STEEL FINISH
5. KICK PLATE: BLACK POWDER COAT FINISH OR STANLESS STEEL FINISH

MANUFACTURING NOTES:

PAROUPALUDINGN OUTSETS STEEL, WELDOO TUBBLAR FRAMEWORK.
2. STANDAMO ESSENCE CONSERS WITH REJOUVABLE LAWRANTE PARELS AND MOUNTING CHANNELS.
4. OPTIONAL STANDAMES STEEL DOORS ON OPERATOR SDE TO HAVE THEST LATCH.
5. NO DRAWS IN HOT WELLS.
6. CONDENSER EVERAPRIATIOR NCOLD FOOD COUNTERS.

☑ PRELIMINARY DRAWING NOT FOR CONSTRUCTION ☐ SUBMITTAL DRAWING FOR APPROVAL

☐ RESUBMITTAL DRAWING FOR APPROVAL

☐ AS-BUILT DRAWNG

KEC SIGNATURE

☐ APPROVED AS DRAWN
☐ APPROVED AS NOTED
☐ REVISE AND RESUBMIT

MULTITERIA 1444 N FARNSWORTH AVE AURORA, IL 60505

OAK PARK H.S.

RIA

CA

OAK PARK,

SHEET NO

3

of 3

PROJECT NO.

2380.09.02.15E DATE: 10/14/15 SCALE: 1/2"=1'-0"

DRAWN BY: FOX AUTOCAD D SIZE TO: MEMBERS, BOARD OF EDUCATION

FROM: DR. ANTHONY W. KNIGHT, SUPERINTENDENT

DATE: OCTOBER 20, 2015

SUBJECT: B.2.j. APPROVE MEASURE C6 BOND FUND EQUIPMENT

PURCHASES - DISTRICTWIDE SECURITY CAMERAS, PHASE 2

ACTION

ISSUE:

Shall the Board approve a Measure C6 bond fund equipment purchase for Districtwide Security Cameras, Phase 2, and delegate limited authority to the Superintendent to award contracts for this project?

BACKGROUND:

After the installation of the security camera system completed in 2014, it has been determined that additional cameras and related cabling are needed at each site to provide sufficient coverage of the respective campuses. A total of 25 cameras are required, at an estimated cost of \$80,000 for equipment and \$20,000 for cabling. Proposals have been requested from the vendors used in Phase 1 of this project, Blue Violet Networks for cameras, and Pacific Coast Sound and Communications (PacifiCom) for the cabling.

Proposals will be received shortly after this evening's Board meeting. Time is of the essence for this project, as award of contracts at the earliest possible time is required to ensure completion of the work during the upcoming winter break. Education Code (EC) Section 17604 permits the Board to delegate authority to award contracts to the Superintendent, provided that the Board ratifies the award at a future meeting. Staff is recommending implementation of EC 17604, delegating limited authority to the Superintendent to award contracts for this project as follows: 1) contracts will be awarded in strict conformance with all applicable law; 2) proposed contracts will be reviewed by the Superintendent and staff, considering price, quality, value and needs of the District, and determination of an award of contract, if any, shall be made by the Superintendent; and 3) any contract awarded shall be presented for Board approval at its regular meeting on November 17, 2015.

As approved by Oak Park voters, Bond Measure C6 (School Safety, Equipment, and Technology Improvement) specifically provides for the purchase of equipment and technology and "equipping school facilities...to improve student safety ...". It is recommended that this project be funded from the Measure C6 bond fund.

ALTERNATIVES:

- 1. Delegate limited authority to the Superintendent to award contracts for Districtwide Security Cameras, Phase 2, as specified above, to be funded from the Measure C6 bond fund.
- 2. Do not approve the equipment purchase.

BOARD MEETING, OCTOBER 20, 2015

Item B.2.J. Approve Measure C6 Bond Fund Equipment Purchase Districtwide Security Cameras, Phase 2 Page 2

siness and Administrative	e Services		
Respectfully subm	Respectfully submitted,		
Anthony W. Knigl Superintendent	Anthony W. Knight, Ed.D. Superintendent		
by, the	, the Board of Education		
ABSTAIN	ABSENT		
	Anthony W. Knight Superintendent by, the		